S (OR REMAINS) CLOSED in 5) or other appropriate commu RIGHTS. This application is s	BRADLEY, PAUL D. Art Unit 2812 th the correspondence address this application. If not included
Examiner Kyoung Lee pears on the cover sheet with S (OR REMAINS) CLOSED in 5) or other appropriate community RIGHTS. This application is s	th the correspondence address this application. If not included
pears on the cover sheet wit S (OR REMAINS) CLOSED in 5) or other appropriate commu RIGHTS. This application is s	th the correspondence address this application. If not included
pears on the cover sheet wit S (OR REMAINS) CLOSED in 5) or other appropriate commu RIGHTS. This application is s	th the correspondence address this application. If not included
S (OR REMAINS) CLOSED in 5) or other appropriate commu RIGHTS. This application is s	this application. If not included
13 and MPEP 1308.	subject to withdrawal from issue at the initiative
<u>2006</u> .	
	•
under 35 U.S.C. § 119(a)-(d) o	or (f).
	n No
	d in this national stage application from the
E" of this communication to file IMENT of this application.	a reply complying with the requirements
omitted. Note the attached EXA ives reason(s) why the oath or	AMINER'S AMENDMENT or NOTICE OF redeclaration is deficient.
ust be submitted.	
erson's Patent Drawing Reviev	v (PTO-948) attached
	
er's Amendment / Comment or	
R 1.84(c)) should be written on the header according to 37 CF	he drawings in the front (not the back) of R 1.121(d).
oosit of BIOLOGICAL MATE T FOR THE DEPOSIT OF BIO	ERIAL must be submitted. Note the DLOGICAL MATERIAL.
	*
5 □ Notice of In	formal Patent Application (PTO-152)
Paper No.	/Mail Date
3/08), 7. ⊠ Examiner's	Amendment/Comment
t 8. ⊠ Examiner's	Statement of Reasons for Allowance
9.	2011/1/1
	MICHAEL LEBENTRITT IVISORY PATENT EXAMINER
	RIGHTS. This application is so 13 and MPEP 1308. 2006. under 35 U.S.C. § 119(a)-(d) of the second

Application/Control Number: 10/752,661

Art Unit: 2812

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with D. James Chung on 6/7/2006.

The application has been amended as follows:

Claim 16:

• In line 1, replace "The method recited in claim 16" with -- The method recited in claim 13 --.

REASONS FOR ALLOWANCE

Claims 13-20 are allowed.

The following is an examiner's statement of reasons for allowance: claim 13 is allowed because of the prior art, either singly or in combination, fails to anticipate or render obvious, the method, including steps of fabricating a bonding pad on the bottom electrode layer, the bonding pad in contact with the substrate through the opening of the bottom electrode, the bonding pad and the substrate forming a diode. These features in combination with the other elements of the claim are neither disclosed nor suggested by the prior art of record.

Claims 14-20 depend from claim 13, so they are allowed for the same reason.

Art Unit: 2812

Conclusion

Page 3

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kyoung Lee whose telephone number is (571) 272-1982. The examiner can normally be reached on M-F 8:30AM - 5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael S. Lebentritt can be reached on (571) 272-1873. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MICHAEL LEBENTRITT
SUPERVISORY PATENT EXAMINER

KL 6/7/06